


# INDEX MAPS.


**T. 7 S. R. 15 W. 2<sup>d</sup> Mer.**

*See also page 604  
Spencer's Survey page 605*



**T. 8 S. R. 15 W. 2<sup>d</sup> Mer.**

*See also page 618*



The figures on the lines refer to the page.

Township 7. S. R. 15. W. 2<sup>d</sup> mer Ind<sup>a</sup> 601.  
Ch<sup>a</sup> S. Ks.

South Boundary. Var. —

West Au. S. Boundary of Sec 36  
27.00 A Pond 100 lks wide Course S. W.  
40.00 Set of Sec Post from which  
a Hickory 10 in dia W N 75 E 20 lks  
a do 8 " " " N 41 W 8 1/2 " "  
13.00 A Pond 100 lks wide Course N + S,  
80.00 Set Post cor to Sec 35 + 36, from which  
a Hickory 40 in dia W N 5 W 6 lks  
a do 15 " " " S 43 W 35 "  
Land level Timber Oak & Hickory  
& W. Ash.

West Au. S. Boundary of Sec 35,  
40.00 Set of Sec Post from which  
a Hackberry 10 in dia W N 40 E 29 lks  
an Elm 10 " " " S 75 W 11 "  
Land & same,  
45.20 Set Post on bank of Wabash from wh  
a Box Elder 20 in dia W S 76 E 14 lks  
a Shumk wood 12 " " " N 15 E 21 1/2 "  
Land & same —

East Boundary. Var. —

North Au. E Boundary of Sec 36,  
40.00 Set of Sec Post from which  
a W. Oak 20 in dia W N 20 W 34 lks  
a B " 12 " " " S 83 E 24 "  
50.00 a W " 20 " "  
80.00 Set Post cor to Sec 25 + 36 from which  
a W. Gum 12 in dia W S 88 E 18 lks  
a W Oak 15 " " " S 55 W 33 "  
Land level Timber Oak & Hickory

602.

T. J. S. R. 15. 78. 2<sup>a</sup> mer Ind<sup>a</sup>.

ch. 280

North An. E. Boundary of Sec 25,  
20.00 A Pond 3 ch wide corner N. E. & S. W.  
at the Edge of a Bottom.

40.00 Set of the Post from which  
a maple 24 in dia W S 16 E 24 ch &  
a Hickory 10 " " " S 78 W 13 "

71.32 Set Post for to Sec 25 & on bank of  
Wabash River from which  
a Sycamore 50 in dia W S. 67 W 43 ch &  
An Elm 15 " " " S 67 E 6 "  
Land first 1/2 same last Rich Bottom  
March 30, 1806.

For that part of this Boundary on  
Arthurs Island see pag 559 of  
Survey by Squibb in 1844 of  
T. J. S. R. 14. 78.

### Subdivision

Var.

North Between Sec 35 & 36,

30.50 A Pond 10 1/2 ch wide,

40.00 of the cor in Pond.

80.00 Set Post Cor. to Sec 25, 26, 35 & 36 from which  
a Hickory 10 in dia W N 5 E 13 ch &  
a do 10 " " " S 64 W 47 "  
Land first 1/2 level & rich 2 1/2 thrs.  
Soil. Timber Oak & Hickory  
and Gw Sassafras & Hickory.

East An Random Between Sec 25 & 36,

15.50 Enter Pond,

81.00 Enter Sec E. Boundary 71 ch N.  
of Post, Land the same. This  
mile was measured by taking

*Chas. S. R. 1578. 2<sup>a</sup> Mer Lard<sup>a</sup>*  
*an officer towards the N.*  
*April 17, 1806,*

No Connection between 25 + 36,

West Between Sect 26 + 35,  
 40.00 Set of the Post from which  
 a Gum 10 in dia W 94 1/2 E 39 1/2  
 a Hickory 5 " " " S 67 3/4 W 13 1/2 "  
 63.60 a W. Oak 30 " "  
 77.29 Set Post on River Bank Cor to  
 Sect 26 + 35 from which  
 a Box Elder 10 in dia W N 37 3/4 W 40 1/2  
 a Paw paw 6 " " " S 24 E 21 "  
 Sand midling good for fanning.  
 mud in Spice

North Between Sect 26 + 25,  
 40.00 Set of the Post from which  
 a Hickory 7 in dia W N 16 3/4 W 35 1/2  
 a W Oak 20 " " " S 14 E 28 "  
 41.75 a Hickory 8 " " "  
 64.00 Set Post Cor to Sect 25 + 26 on bank  
 of the Wabash River from which  
 a maple 10 in dia W N 85 3/4 W 40 1/2  
 a do 12 " " " S 13 E 38 "  
 Sand & a Same,

Note By Transcriber,

Mr Harris  
 did not complete the subdivision  
 of this part of the Town but evidently  
 considered all the rest to be inside  
 26 as will be seen by the Amount  
 of Meandering he has located in that Sec.



604. T. J. S. R. 15. 78. 2<sup>a</sup> Mer End<sup>a</sup>.

CHTSKS.

Measures of Wabash River from  
Post on E. Boundary at N E  
Cor. of Sec 25,

Course	CHTSKS.	Remarks,
S. 84 <sup>th</sup>	24.50	In Sec 25,
West	42.50	
S. 78 <sup>th</sup>	11.50	
S. 82 <sup>th</sup>	2.28	Line Between Sec 25 & 26,
N. 80 <sup>th</sup>	17.50	In Sec 26,
N. 65 <sup>th</sup>	12.50	
N. 60 <sup>th</sup>	34.00	
N. 45 <sup>th</sup>	56.00	
N 60 <sup>th</sup>	16.50	
N 77 <sup>th</sup>	4.50	
S. 87 <sup>th</sup>	4.50	
S. 80 <sup>th</sup>	9.00	
S. 55 <sup>th</sup>	13.00	
S. 18 <sup>th</sup>	20.00	
S. 8 E	20.00	
S. 38 E	28.77	
S. 47 E	23.00	
S. 38 E	30.50	
S. 25 E	10.20	
S. 29 E	15.00	
S. 16 E	8.22	Line Between Sec 26 & 35,
S. 13 E	1.50	In Sec 35
S. 12 E	9.00	
S. 21 E	3.50	
S. 23 E	10.00	
S. 30 E	21.00	
S. 21 E	14.00	
S. 22 E	13.00	
S. 16 E	12.34	

605,

T. J. G. R. 15. W. 2<sup>a</sup> Mer End<sup>a</sup>  
 ch<sup>2</sup> 100,  
 S. 7 E 7.5-8. To Post in S Boundary  
 of sec 35,  
 Arthur Henrie D.S.

Survey &c by N. L. Squibb in  
 1844,

West From Cor on E Boundary  
 Between Sect 12 & 13,  
 10.75 a B. Walnut 10 in dia,  
 40.00 Set of Set Post from which  
 An Elm 24 in dia W P 75-7730 OK<sup>x</sup>  
 An " 16 " " " N 55 E 39 " .  
 48.70 a B. Oak 20 " "  
 65.00 Entered a field,  
 80.00 Set Post for to Sect 11, 12, 13, & 14 from wh  
 a B Walnut 10 in dia W P 77 78 70 OK<sup>x</sup>  
 a DO 15 " " " S 69 E 109 "  
 Sandy Bottom Land Timber  
 Walnut, Ash Hickory & Oak.

North From Cor to Sect 11, 12, 13, & 14,  
 40.00 Through the man's field to the  
 Nabash. Set Post for to Sect 11 & 12 for which  
 An Elm 10 in dia W P 79 E 54 OK<sup>x</sup>  
 a B Walnut 12 " " " S 58 W 166 " .

West From Cor to Sect 11, 12, 13, & 14  
 5.60 a B. Oak 30 in dia,  
 30.00 Crossed a small Prairie,  
 33.80 Attorney Locust 12 in dia,  
 40.00 To Nabash River. Set Post between  
 Sect 11 & 14 from which  
 a Hackberry 10 in dia W P 44 W 89 OK<sup>x</sup>  
 a H Locust 14 " " " S 19 W 142 "

606

T. J. S. R. 15. 78. 2<sup>a</sup> Mer Ind.<sup>a</sup>  
 ch. 2ks. Timber Low & Scrubby. Sandy land.

South From Cor to Sect 11, 12, 13, & 14,  
 20.43 A Box Elder 15 in dia,  
 28.00 To the Wabash. Set Post between  
 Sect 13 & 14 from which  
 a soft Maple 15 in dia W 85 E 16 1/2 100  
 a do 15 " " " N 85 W 20 " 1  
 Low land thinly timbered with  
 Hackberry Locust. Hickory Oak  
 & Walnut.

Meanders of Wabash on Arthur's  
 Island from Post N. bank of River  
 & on E. Boundary of Sec 13.

West 14.00  
 S. 83 W 8.50  
 N. 85 W 28.50  
 N. 73 W 5.00  
 N. 78 W 6.50  
 N. 63 W 15.50  
 N. 87 W 3.80

In Sec 13

Line Between Sect 13 & 14.

N. 64 W 21.00  
 N. 70 W 14.00  
 N. 49 W 6.00  
 N. 19 W 10.20

In Sec 14.

Line Between Sect 11 & 14.

N. 10 W 16.00  
 N 28 E 12.50  
 N 40 E 19.50  
 N 76 E 12.50  
 N. 88 E 7.76

In Sec 11

Line Between Sect 11 & 12.

S. 77 E 8.50

In Sec 12.

107,

T. J. S. R. 15. W. 2<sup>a</sup> Mer Surd<sup>a</sup>,

CHAINS

S. 46 E	41.00
S. 64 E	17.50
S. 80 E	8.50
N 87 E	7.50
N 79 E	6.50
S. 55 E	3.35
East	1.50

To E. Boundary, at  
Cor to Sec 12 + 13,

East	From Cor to Sec 25, 26, 35 + 36,
18.00	To Pond No 1. Set Post between Sec 25 + 36 from which a Persimmon 10 in dia W N 47 W 44 CHS x a Hickory 10 " " " S 37 W 30 " "
33.00	Crossed Pond Set Post from which a Hickory 14 in dia W N 81 E 19 CHS x a do 12 " " " N 12 W 27 "
55.00	To Pond again Set Post on N. side a B. Oak 18 in dia W S. 11 W 49 CHS x a Hickory 12 " " " N 83 E 62 " "
69.50	Crossed Pond Set Post from which a Hickory 10 in dia W N 36 E 37 CHS x a do - " " " S 83 W 26 " "
83.00	See Cor on E. Boundary, Variation 5.°.

West	Connects Between Sec 25 + 36,
41.50	Set of Sec Post from which an Elm 30 in dia W S 34 W 20 CHS x a Hickory 14 " " " N 43 W - " "

South	From of Post on E. boundary of 25,
12.00	To Pond Set Post on N. Bank from which an Elm - in dia W S 31 E 9 CHS.
21.00	Crossed Pond. Set Post on S. side from which



609.

T. J. S. R. 15. W. 2<sup>a</sup> Mer Ind<sup>a</sup>.

ch. S. R.

11 Mulberry 10 in dia W N. 5-8 W 35-100  
 a Hickory 12 " " " N 20 E 24 "  
 40,000 To Cor of Sect 25+36 on Range line,

From Post E of Pond Between 25+36,

N. 39 E 9.00

N. 32 E 9.00

N. 34 E 5.39

In Line Range line S. of Pond,

N. 34 E. 11.50

N. 75 W 2.50

S. 72 W 4.00

In Range 14. W.

To Range line N of Pond.

S. 40 W 5.00

West 4.00

N 12 E 7.50

N 88 W 6.50

N 74 W 12.50

S. 17 W 4.00

S 14 E 10.00

S. 12 E 8.00

S. 6 W 8.00

S. 29 W 5.00

S. 46 W 3.00

Line Between 25+36. W.  
of Pond.

S. 61 W 10.50

S 85 W 9.00

N 35 W 7.20

Line Between Sect 25+36. E  
of Pond.

N 35 W 14.00

N 32 W 3.50

S. 59 W 5.50

S. 18 W 3.50

Comp<sup>d</sup>



610.

T. J. & R. 15<sup>th</sup> St. 2<sup>nd</sup> Mer End<sup>a</sup>

S. 26 E	5.00	Line Between Sect 25 & 36 W of Pond.
S. 31 W	4.10	

S. 40 E	13.00	Line Between Sect 25 & 36 at Post E. of Pond, the Place of Beginning.
S. 44 E	10.00	
S. 82 E	9.50	
N 79 E	9.00	
N 42 E	8.50	
N 40 E	12.00	

Var 5<sup>th</sup>

South	From Cor to Sect 25, 26, 35 & 36,
40.00	To Pond, Set Post on N. Side Between 35 & 36 from which a B. Oak 12 in dia W N 43 N 43 a DV 14 " " " S. 70 E 42 "
60.00	Crossed Pond Set Post on S. Side Between 35 & 36 from which an Ash 15 in dia W N 35 W 28 W a Hickory - " " " South 28 "
82.25	a DV 12 " " " S 80 E 55 "
	An Elm 10 " " " N 37 W 35 "

From Post N of Pond Between 35 & 36,

West	0.70
N 60 W	11.00
N 76 W	5.00
N 85 W	9.00
S. 25 W	5.00
S. 26 E	4.50
S. 87 E	8.50
S. 2 W	7.00

611.

T. J. S. R. 15 N 2<sup>nd</sup> Mer Ind<sup>th</sup>.

CH. S. S. D.		
\$50 E	14.00	
\$58 E	6.90	Line Between Sect 35 & 36 at Post S of Pond.
\$62 E	8.50	
\$46 E	6.50	
\$32 E	4.50	To foot of Pond.
N 39 E	6.00	
N 22 N	6.50	
N 35 N	12.00	
N 26 N	8.50	
N 50 N	5.00	Line Between Sect 35 & 36 at Post N of Pond.
West	From Cor to Sect 25, 26, 35 & 36	
40.61	of Post gum standing.	
	Hackberry 12 in dia W N 57 E 67 N 50	
78.11	To Bank of Nabash.	
80.61	To Cor in River.	
North	From Cor to Sect 26, 27, 34 & 35 in River	
8.00	by offset to N. bank of Nabash.	
	Set Post Between Sect 26 & 27 from which	
	a M. Oak 12 in dia W N 40 N 37 N 50	
	a DO 20 " " " S 45 E 28 " "	
35.27	a Box Elder 10 " "	
40.00	Set of the Post from which	
	a Box Elder 10 in dia W N 12 E 20 N 50	
	a Hackberry 10 " " " S 72 N 29 " "	
57.62	a DO 10 " "	
74.50	a DO 12 " "	
80.00	Set Post Cor to Sect 22, 23, 26 & 27	
	a Box Elder 10 in dia W N 81 N 20 N 50	
	a Red bud 6 " " " S 62 E 100 "	

T. J. S. R. 15. 78. 2<sup>a</sup> Mer Ind<sup>a</sup>,

CHSND

West From Cor to Sect 22, 23, 26, & 27.

8.10 Hackberry 12 in dia,

27.50 An Ash 20 " "

40.00 Ser of Sec Post from which  
hackberry 20 in dia W N 13 N 74 N x  
An Elm 24 " " " 87 E 48 "

44.14 Hackberry 10 " "

57.00 A Sycamore 20 " " on Bank of  
Wabash Between Sect 22 & 27.

From Cor on Wabash Between 22 & 27,

N 29<sup>th</sup> 15.00

N 25<sup>th</sup> 10.00

N 4<sup>th</sup> 12.50

N 10<sup>th</sup> 10.00,

East From Cor to Sect 22, 23, 26 & 27,

37.50 An Elm 18 in dia Cor on Bank  
of Wabash Between Sect 23 & 26

North From Cor to Sect 22, 23, & 26 & 27,

26.50 Through a mile and a house  
to the Wabash River, No timber  
but the old man says he will put  
a stone there, N. L. Squibb D.S.

Surveyor General's Office,  
Detroit March 18, 1846 }.

I hereby  
certify that the foregoing Transcript of the  
Field Notes of T. J. S. R. 15. 78. 2<sup>a</sup> Mer  
Ind<sup>a</sup> has been compared with the  
Original Notes in this office & found to be  
Correct,

Lucius Lyon,

Surveyor Genl.